

INFORMATION REPORT

CD NO. 25X1A

COUNTRY East Germany

DATE DISTR. 18 June 1954

SUBJECT ~~WID. G. [REDACTED] Schkopau~~

NO. OF PAGES 3

PLACE ACQUIRED [REDACTED] 25X1

NO. OF ENCLS. (LISTED BELOW)

DATE OF INFO.

SUPPLEMENT TO REPORT NO. 25X1X

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES WITHIN THE MEANING OF THE ESPIONAGE ACT 50 U. S. C., 31 AND 32, AS AMENDED. ITS TRANSMISSION OR THE REVELATION OF ITS CONTENTS IN ANY MANNER TO AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. REPRODUCTION OF THIS FORM IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION

25X1X

SOURCE [REDACTED]

Export Plan 1954

Description of Product and Product Number	1954 Quota in Metric Tons	Delivery by Quarter in Metric Tons			
		First	Second	Third	Fourth
Synthetic Rubber, except Plasticator 32 and Pervinan Plasticator					
Buna S 3 42721100	34,225	9,050	8,300	8,400	8,475
Buna SS 42721300					
Buna 85 42711300					
Perbunan 42722000	35	20	15	+	-
Igetex S 3, about 35 percent 42723100					
Igetex SS special, about 50 percent 42723200					

These deliveries require confirmation with the quarterly plans of the chemical sales department of the Ministry of Heavy Industry and DHZ Rubber, Asbestos, and Synthetic Materials.

The planned quantity of Buna S3 for 1954 is decreased according to the fixed rubber content of the deliveries of Buna SS, Buna 85, Perbunan, Igetex S 3, and Igetex SS.

Plasticator 32 and Pervinan 42711100	181	50	50	50	31
--------------------------------------	-----	----	----	----	----

PVC-Schkopau 42611100	10,000	2,500	2,500	2,500	2,500
-----------------------	--------	-------	-------	-------	-------

Agreement between the supplier and customer is necessary in regard to the distribution of brands.

"Polystyrol BW", glass clear 42617200	120	30	30	30	30
---------------------------------------	-----	----	----	----	----

25X1A

25X1
 SECRET

 25X1

25X1A

 25X1A

- 2 -

Description of Product and Product Number	1954 Quota in Metric Tons	Delivery by Quarter in Metric Tons			
		First	Second	Third	Fourth
<u>Oil for export</u> 22822000	4,000	1,000	1,000	1,000	1,000
<u>Pure benzene</u> 22673500	4,000	1,000	1,000	1,000	1,000
<u>Trichlorethylene</u> 42123300/2	2,300	625	625	525	525
<u>"Palatinol C"</u> 42161400	330	78.5	90	86.5	75
<u>"Palatinol AH"</u> 42161700	585	155	155	140	135
<u>Phthalic acid anhydride</u>	5,200	1,300	1,300	1,300	1,300
<u>Acetoacetic ester</u> 42363000/2 ¹	200	30	50	60	60
<u>Acetone, chemically pure</u> 42125200/3	550	135	145	135	135
<u>Ethyl acetate 99/100 percent</u> 42127300	2,200	550	600	600	450
<u>Butanol</u> 42124500/2 ²	2,050	505	515	515	515
<u>Butyl acetate 85 percent</u> 42154500/2	1,500	400	450	350	300
<u>Diglycol</u> 42135300/2	300	75	75	75	75
<u>Acetic acid, chemically pure 98/100 percent</u> 42126110/6	1,000 4,000	350	350	100	200
<u>Acetic acid, technically pure³</u> 98/100 percent 42126110/2	6,500	1,700	1,600	1,600	1,600
<u>"Elkol"</u> 42135200	400	100	100	100	100
<u>Solvent B17</u> 42151000	225	15	70	70	70
<u>Hexanetriol, industrial</u> 421224900/2	500	-	150	170	170
<u>Methyl acetate</u> 42154100/2	350	50	100	100	100
<u>Acetic acid anhydride</u> 42126200 ⁴	400	100	100	100	100
<u>Monochloroacetic acid</u> 42325700/2	120	30	30	30	30
<u>Paraldehyde-alcohol mixture 100 per-⁵</u> cent 42125900/2, 42124200/2	1,880	10,470	10,470	10,470	10,470

The total for the year, 40,000 metric tons, equals 41,880 metric tons without guarantee for the quality.

The customer must inform the supplier at least ten days before the beginning of each quarter of the required proportions.

25X1
 SECRET
 25X1

25X1

SECRET

25X1A

25X1

- 3 -

Description of Product and Product Number	1954 Quota in Metric Tons	Delivery by Quarter in Metric Tons			
		First	Second	Third	Fourth
<u>Ethylene chloride, distilled</u> 42134120/2	20	5	10	5	-
<u>Formaldehyde 30 weight percent</u> 42117100/2	495	150	120	120	105

25X1A

1. ☐ Comment: These deliveries require confirmation with the quarterly
1. ☐ Comment: The following quality acetoacetic ester must be guaranteed for shipment to the USSR: ester content 98 percent; specific gravity, 0.024-0.028; water content, maximum 0.1 percent; acid content, calculated as acetic acid, maximum 0.5 percent.
- 25X1A
2. ☐ Comment: The following quality butanol must be guaranteed for shipment to the USSR: specific gravity at 20° centigrade, 0.809-0.815; aldehyde content, calculated acetaldehyde, maximum 0.1 percent; acetal content calculated as butylene-glycolacetaldehyde acetal 0.5 percent of unsaturates with double bonds, maximum 0.05 percent; content of total esters as ethyl acetate 0.05 percent; butanol content 98.5 percent; water content, 0.5 percent; boiling point 114-118° centigrade.
- 25X1A
3. ☐ Comment: The following quality acetic acid, technically pure, must be guaranteed for shipment to the USSR: minimum acid content 98 percent; organic admixture, maximum 0.5 percent; water content, maximum 2 percent.
- 25X1A
4. ☐ Comment: The following quality acetic acid anhydride must be guaranteed for shipment to the USSR: acetic acid anhydride content 94 percent; boiling point at 760 millimeters mercury 134-139° centigrade; free of hydrochloride, sulfuric acid; permanganate test must last at least 60 minutes.

The following quality paraldehyde alcohol mixture must be guaranteed for shipment to the USSR: it must meet the technical requirement No. 1585-49, formulated in 1949. In accordance with the request of the supplier, the technical requirement is supplemented as follows: Alcohol which is obtained from the fermentation of starchy raw material or molasses and which has undergone refraction (sic) for the purpose of separating the combined ether, the higher grade alcohol and other compounds can be used as well as alcohol which is obtained by the hydrolysis of paraldehyde for thinning paraldehyde. The alcohol should not contain more than 0.5 percent methanol. The use of sulfites in the fermentation is not permissible. Water content is permissible up to 6 percent. Concentration of the mixture: January, 40 percent, February, 40 percent; March, 50 percent.

25X1A

1. ☐ Comment: This probably means that the alcohol has been tested by refraction to make sure that it is adequately pure.

ILLEGIB